100.000E

115.000N

125.000E

125.000N



100.000N

100.000E

125.000E

125.000N

LASER SURVEYS

LAND AND BUILDING SURVEYS, UNDERGROUND SERVICES LOCATION, CCTV DRAINAGE SURVEYS.
Established 1975. Member of The Survey Association.

Open Spaces, Upper Interfields, Malvern, Worcs, WR14 1UT
TEL 01886 833173 email: worcester@lasersurveys.com

The Old Dairy, Stubbers Farm, Mountnessing Road, Blackmore, CM4 0NX
TEL 01708 438408 email: london@laserssurveys.com

Copyright ©1024 Laser Surveys Ltd. All rights reserved.

DATUM NOTES

GRID IS BASED ON ARBITRARY COORDINATES

LEVELS ARE RELATED TO :- ARBITRARY DATUM
LOCATED AT :-
METAL PLATE/STAND ON FIRST FLOOR

VALUE GIVEN AS 20.00m (ARBITARY DATUM)

ABBREVIATIONS (where applicable)

AV	Air Valve	MH	Manhole Cover
BK	Brick	MK	Marker
BL	Bollard	MS	Milestone
BS	Bus Stop	MT	Meter
BT	British Telecom	MY	Mercury
CB	Control Box	OH	Overhead
C/B	Close Boarded	PAV	Paving
CL	Ceiling Level	PB	Post Box
CLK	Chainlink	PI	Pipe
CO	Column	PM	Parking Meter
Conc	Concrete	P/R	Post and Rail
CP	Catch Pit	PT	Post
CPS	Concrete Paving Slabs	P/W	Post and Wire
CATV	Cable Television	RE	Rodding Eye
CH	Drainage Channel	RET	Retaining
DE	Down Pipe	RS	Road Sign
EC	Electricity Cover	RSJ	Rolled Steel Joist
ER	Earthing Rod	SC	Stop Cock
FB	Flower Bed	SK	Soakaway
FE	Fence	SP	Signpost
FH	Fire Hydrant	ST	Silt Trap
FL	Floor Level	SV	Stop Valve
FP	Flag Pole	SVC	Security Video Camera
GP	Gate Post	TCB	Telephone Call Box
GV	Gas Valve	TL	Traffic Light
GY,G	Gully	TK	Tank
HT	Height	TP	Telegraph Pole
IC	Inspection Cover	UG	Underground
IL	Invert Level	UTT	Unable To Trace Further
IN	Interceptor	UTL	Unable To Lift
I/R	Iron Railings	VP	Vent Pipe
KO	Kerb Outlet	WL	Water Level
LB	Litter Bin	WM	Water Meter
LP	Lamp Post	WO	Wash Out

NOTES

- Drainage pipe sizes (where shown) have been gauged from the surface for safety reasons and should be regarded as approximate only.
- Tree species (where shown) should be treated with caution and expert identification is advised.
- Although this is a digital survey the accuracy and amount of detail shown is only commensurate with the graphical scale of mapping as specified. Care should be exercised when working to larger scales.
- Visible features in the vicinity of the boundaries as shown above, may not represent the extent of legally conveyed ownership.
- Whilst every effort has been made to achieve accuracy on this plan, CRUCIAL dimensions (foundations, levels and invert levels should be checked prior to design and construction.
- Kerb levels have been taken in the bottom of the channel.
- Areas of dense undergrowth cannot be surveyed in detail, these areas will be shown in outline only and marked as 'dense undergrowth' on the plan.

GROUND RADAR

The material surrounding and particularly above buried services can effect whether the services can be resolved using GPR. Reinforced concrete , buried metallic objects, the presence of moisture or clay and changes in the material construction can lead to poor data resolution.

As we have no information with respect to the material overlaying any services the GPR method can only give a guaranteed accuracy of 50%.

Depth results using GPR are typically accurate to within 10% with a horizontal accuracy of ± 150mm. These figures will vary as the velocity of the ground is assumed at 80m/s.

The results of the GPR survey should be treated with caution as there is no guarantee that any service shown actually exists, only a possibilty that something can seen on the records.

ELCOMETER

Estimation of bar size, spacing, orientation and depth is influenced by neighbouring bars and surface conditions.

See Laser Surveys Method Statement for an outline of possible resolutions and accuracies.

SHEET LAYOUT
NOT TO SCALE

FIRST FLOOR FLOOR PLAN

SURVEYED FOR

SURVEYOR

DATE

NO	DATE	REVISION

DRAWING NO	L	REV 0
SCALE	1 : 50	
SEE ALSO DWG NOS	L	
SHEET	2 of 3	
REF NO	L	