



Datum 25.00m



Datum 25.00m

Datum 25.00m

DATE NOTES

VALUE GIVEN AS 37.560m (NEWLYN DATUM)  
NO REF SK 4813 5504  
SURVEY CONTROL STATIONS SHOWN 

SURVEY CONTROL STATIONS SHOWN

ABBREVIATIONS (where applicable)

A 999	Arch Ht. in centimeters	FIRE EQUIPMENT
B 999	Beam Ht. in centimeters	EL Emergency Lighting
C 999	Ceiling Ht. in centimeters	FA Fire Alarm
D 999	Head Ht. in centimeters	E/C Evacuation Chair
S 999	Sh Ht. in centimeters	EDR Emergency Draw Release
Sp 999	Spring Ht. in centimeters	FBG Fire Break Glass
FC or SC False/Structural Ceiling		FGB Fire Cable Box

All heights in centimeters and measured to the centre or the bottom (Bt)

## NOTES

- Drainage pipe sizes (where shown) have been gauged from the surface for safety reasons and should be regarded as approximate only.
- Tree species (where shown) should be treated with caution and expert identification is advised.
- Although this is a digital survey the accuracy and amount of detail shown is only commensurate with the graphical scale of mapping.
- Vertical profiles can be extended down as far as the ground surface is specified. In the vicinity of the base of the road as shown above, may not represent the extent of legal conveyed boundaries.
- Whilst every effort has been made to achieve accuracy on this plan, CRUCIAL clearance dimensions, levels and invert levels should be checked prior to design and construction.
- Kerb levels have been taken in the bottom of the channel.

SHEET LAY

NOT TO SCALE

## DETAILED ELEVATIONS


NO	DATE	REVISION

DRAWING NO	G _____/___	REV	C
DRAWING TITLE	ELEVATIONS 1-4		
SCALE	1 : 100 (A0)		
SEE ALSO DWG NOS			
SHEET	___	of	___
REF NO	_____		







GRID IS BASED ON ORDNANCE SURVEY DIGITAL DATA  
USING A 'BEST MEAN FIT' FROM SURVEYED INFORMATION  
LEVELS ARE RELATED TO - ORDNANCE SURVEY DATUM.  
BENCH MARK USED IS LOCATED AT -  
EAST FACE OF WALL OUTSIDE 'SHERWELL UNITED  
REFORMED CHURCH', NORTH HILL ROAD, PLYMOUTH  
WELL GIVEN AS 37.560m (NEWLYN DATUM)  
NG REF SX 4813 5504  
SURVEY CONTROL STATIONS SHOWN 

[illegible]

FIRE EQUIPMENT	
EL	Emergency Lighting
FA	Fire Alarm
E/C	Evacuation Chair
EDR	Emergency Door Release
FBD	Fire Break Glass
FCB	Fire Cable Box
FES	Fire Exit Signs (Illuminated)
FHR	Fire Hose Reel
FX	Fire Extinguisher

All heights in centimeters and measured to the centre or the bottom (Bt)

- \* Drainage pipe sizes (where shown) have been gauged from the surface for safety reasons and should be regarded as approximate only.
- \* Tree species (where shown) should be treated with caution and expert identification is advised.
- \* Although this is a digital survey the accuracy and amount of detail shown is only commensurate with the graphical scale of mapping or a related. Care should be exercised when working to larger scales.
- \* Visible features in the vicinity of the boundaries as shown above, may not represent the extent of legally conveyed ownership.
- \* Whilst every effort has been made to achieve accuracy on this plan, CRUCIAL clearance dimensions, levels and invert levels should be checked prior to design and construction.
- \* Kerb levels have been taken in the bottom of the channel.

SHEET LAYOUT  
NOT TO SCALE

NOT TO SCALE

## SECTIONS

SURVEYOR C.P.D. MAYER  
DATE SEPT/OCT 2013

NO	DATE	REVISION	
DRAWING NO		G ____/____	RE ____
DRAWING TITLE		SECTIONS 1-7	
SCALE		1 : 100 (AO)	
SEE ALSO DWG NOS			
SHEET		____ of ____	
REF NO		____	







Example Listed  
Building – Measured  
Survey (Sections)

## SECTIONS

SURVEYED FOR		STREDE TREGLOWN LTD NORBURY COURT THE WILLOWS PLYMOUTH DEVN PL1 3LL		SURVEYOR		C.P.D. MAYER	
				DATE		SEPT/OCT 2013	
0	DATE	REVISION					
DRAWING NO				G ____/____ 0			
DRAWING TITLE				SECTIONS 8-12			
SCALE				1 : 100 (A0)			
SEE ALSO DWG NOS							
SHEET				____ of ____			
REF NO				____			